Maniglia
Handle

MA24

Rigo Architetti

Zama pressofusa
Die-cast zamac

-

MA24

86-46

64

40
73
15

MA25, 1340, RM06, RM50

Antracite
Anthracite



Cromo
Chrome

Bianco opaco
Matt white

Econichel
Econickel

Nichel satinato
Satin nickel

MA24
Maniglia / *Handle*
Antracite / *Anthracite*

mital

INFORMAZIONI TECNICHE
TECHNICAL INFORMATION

Materiale
Material

Viti ed elementi di montaggio inclusi
Screws and assembling components included

Articoli coordinati o abbinabili suggeriti
Suggested coordinated or related products

Codice prodotto / Misure disponibili
Product code / Available measures

	3000A	3000B	3000C	3000D
Misure frontali *Front view*	189-10	157-10	121-8	86-7
Misure laterali *Side view*	22	22	21	21
Interassi* *Centre-to-centre**	160	128	96	64

*Fori per il montaggio o spessori di vetro e legno nei reggimensole.

**Mounting holes or glass and wood shims in the shelf supports.*

TASSELLI MOD. A
Tassello universale in nylon, adatto per supporti in calcetruzzo, mattone semipieno, blocco forato Poroton, blocco forato Leca, cartongesso e pietra compatta.

TASSELLI MOD. B
Tassello adatto per supporti in calcestruzzo, mattone pieno, pietra compatta, cemento cellulare. Fornito in dotazione con portabiti e gancetti.

MOD. A PLUGS
Universal nylon plug suitable for base materials in concrete, honeycomb brick, light weight honeycomb brick, hollow light aggregate block, plasterboard, solid stone, solid brick, cell like clay brick, hollow dense aggregate block, aerated concrete.

MOD. B PLUGS
Plug suitable for base materials in concrete, solid stone, solid brick, aerated concrete. Supplied with coathanger and hook.